

Poisoning Hospitalizations

Poisoning Hospitalizations

- Most recent data (2014): 36.1 hospitalizations per 100,000, including 777 admissions.
- Trend over time: 2000-07: rising; 2007-14: flat
- Description: Includes non-fatal hospitalizations for any unintentional injury that involves poisoning
- Healthy People 2020 Goal: None listed for this indicator.

Poisoning hospitalizations, King County, 2010-2014 average

	Rate	Lower CI	Upper CI	Count per Year
King County (all ages)	37.1	35.9	38.3	768
AGE				
<18	11.2	9.8	12.7	47
18-24	30.1	26.6	34.0	53
25-44	32.0	30.1	34.1	198
45-64	56.0	53.2	58.9	298
65+	75.1	70.1	80.3	171
GENDER				
Male	39.3	37.6	41.1	402
Female	34.4	32.8	36.0	366
RACE/ETHNICITY				
AIAN	N/A	N/A	N/A	N/A
Asian	N/A	N/A	N/A	N/A
Black	N/A	N/A	N/A	N/A
Hispanic	N/A	N/A	N/A	N/A
Multiple	N/A	N/A	N/A	N/A
NHPI	N/A	N/A	N/A	N/A
White	N/A	N/A	N/A	N/A
NEIGHBORHOOD POVERTY				
High	80.3	73.3	87.9	100
Medium	36.0	34.7	37.4	595
Low	25.3	22.5	28.3	67
REGION				
East	24.1	22.2	26.1	124
North	39.1	35.1	43.6	72
Seattle	46.0	43.6	48.5	286
South	39.3	37.2	41.4	286
STATE				
Washington State	42.4	41.7	43.1	3041

Comparisons:

- Higher than King County rate (yellow)
- Lower than King County rate (green)

Notes:

Source: WAState DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

*Rate = cases per 100,000 population, age-adjusted to the 2000 US population.


N/A: Not available.

CI is 95% Confidence Interval.

* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Poisoning hospitalizations King County, 2010-2014 average



Source: WA State DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.

|-----| Confidence interval shows range that includes true value 95% of the time.


* Too few cases to protect confidentiality and/or report reliable rates.

§ Too few cases to meet precision standard, interpret with caution.

Data by race/ethnicity not available.

Poverty = Neighborhood poverty levels defined by median household income.

**Poisoning hospitalizations by zip codes
King County, 2010-2014 average**




Source: WA State DOH, Office of Hospital and Patient Data Systems.

Prepared by Public Health - Seattle & King County, APDE, 08/2016.

^aRate = cases per 100,000 population, age-adjusted to the 2000 US population.

Poisoning hospitalizations

King County, 2000-2014, three-year rolling averages



^Rate = cases per 100,000 population, age-adjusted to the 2000 US population.
Trends over time: King County (2000-07: rising; 2007-14: flat); East KC (2000-14: rising); North KC (2000-05: rising; 2005-14: flat);
Seattle (2000-06: rising; 2006-14: flat); South KC (2000-14: rising);
Washington State (2000-11: rising; 2011-14: falling)
Source: WA State DOH, Office of Hospital and Patient Data Systems.
Prepared by Public Health - Seattle & King County, APDE, 08/2016.

Produced by the
[Assessment, Policy Development & Evaluation Unit](#)
[Public Health - Seattle & King County](#)
08/16